

5844533

892482
591869




FIG. 1

43 FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 7

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

521869
892482

FIG. 6A

FIG. 6B


FIG. 6C


FIG. 6D

FIG. 6E

FIG. 6F

FIG. 6G





APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

521869
892482

ROM TABLE 100

CURRENT TIME / PREVIOUS TIME	0	1	2	3	15	31
0	0000	2000	3010	4110		7777		7777
1	0000	1000	2010	3110		7777		7777
2	0000	0000	1010	2110		7777		7777
3	0000	0000	0010	1110		7777		7777
.								
.								
.								
15	0000	0000	0000	0000		4443		7777
.								
.								
.								
31	0003	0000	0000	0000		0000		7777

FIG. 9

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

531869
892482

ϕf	SCAN ELECTRODE DRIVE SIGNAL X_n			SIGNAL ELECTRODE DRIVE SIGNAL Y_n		
	SELECTED STATE	NON- SELECTED STATE	ZERO BIAS EC"H"	SELECTED STATE	NON- SELECTED STATE	ZERO BIAS EC"H"
POSITIVE	V0	V2	V2	V3	V1	V2
INVERTED	V4	V2	V2	V1	V3	V2

FIG.11









FIG.12



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

5,318,692
892482




FIG.14





FIG.15

531869
892482



EITHER VOLTAGE V_1 OR V_3 CAN
BE ACQUIRED IN SELECTED OR
NON-SELECTED STATE

FIG.17A

FIG.17B

FIG.17C

FIG.17D x_n

FIG.17E y_n

DA 521869
892482




FIG. 18

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

PA 5.31869
892482

			LOWER ADDRESSES									
			A2	0	0	0	0	1	1	1	1	
			A1	0	0	1	1	0	0	1	1	
			A0	0	1	0	1	0	1	0	1	
UPPER ADDRESSES	A5	A4	A3									
	0	0	0	0	2	4	5	6	7	7	7	
	0	0	1	0	1	3	4	6	7	7	7	
	0	1	0	0	0	2	4	5	7	7	7	
	0	1	1	0	0	1	3	5	7	7	7	
	1	0	0	0	0	1	2	4	6	7	7	
	1	0	1	0	0	0	2	3	5	7	7	
	1	1	0	0	0	0	1	2	4	6	7	
	1	1	1	0	0	0	0	1	3	5	7	

FIG.19

FRAME	0	1	2	3	4	5	6	7	8	9
IMAGE DATA FROM A/D	0 → 4 → 7 → 5 → 1 → 3 → 4 → 0 → 7 → 6									
IMAGE DATA FROM ROM	* → 6 → 7 → 3 → 0 → 4 → 5 → 0 → 7 → 5									

FIG.20

531869
892482




FIG. 21

521869
892482

U-V	S1	S0	R
4 OR GREATER	1	0	*
1~3	0	1	U-V
0	0	0	*
-3~-1	0	1	U-V
-4 OR LOWER	1	1	*

0:LOW LEVEL
1:HIGH LEVEL
*:UNDETERMINED

FIG. 22

S1	S0	P OUTPUT
0	0	I
0	1	J
1	0	K
1	1	L

FIG. 23

DATE	O.G. FIG.	
BY	CLASS	SUBCLASS
DISSEMIN		

OR ~~531869~~
892482

CURRENT GRAY SCALE (A)							
GRAY SCALE DIFFERENCE (B)	0	1	2	3	4	5	6
	+3			5	6	7	7
	+2		3	5	6	7	7
	+1	1	2	5	6	6	7
	-1	0	1	2	3	4	5
	-2	0	1	1	2	3	
	-3	0	0	1	1		

FIG.24